



Never compromise on quality!



CLEAN-IT NON-TOXIC PAINT STRIPPER

Description

Effective removal of water or oil based paints and varnish from a variety of substrates including wood, concrete, metal, glass, brick, stone.

- Non-Toxic
- Low Odour
- Non-drip Formulation
- Multi Layer Removal

Uses

Bond It **NON TOXIC PAINT STRIPPER** is the safer, non-toxic alternative to traditional Methylene Chloride based products. Non-drip, brush applied formulation, ideal for use on vertical surfaces.

Preparation

The surface should be clean, dry and free from dirt or grease. Protect floor coverings and textiles from accidental spillage or splashes.

Application Procedure

Apply a liberal amount of **PAINT STRIPPER** directly to the area with a brush or roller. Leave for a minimum of 30 minutes and remove paint with a scraper. If the surface has 3 or more layers of paint, a longer soak time will be required. Because the active ingredients are non volatile, **PAINT STRIPPER** will continue working long after traditional paint strippers have stopped. Even after 18 hours **PAINT STRIPPER** will continue to soften paint ready for easy removal. Repeat the process if required once the loosened material has been removed.

Finally finish by rubbing the surface with a scotchbrite cloth or stainless steel wool to remove the last remnants of paint from the grain of the wood. Residual paint stripper should be removed using soapy water.

Paint brushes and rollers can be easily cleaned using soapy water.

Note: as all surfaces differ; it is recommended that this product is tested on a small inconspicuous area to determine suitability before use. It is the users' responsibility to determine suitability.

Health & Safety

This product is non-toxic and safe for use in normal conditions. However, it is strongly advised when handling any chemical product to wear protective gloves and glasses and wash splashes from the skin immediately, any contaminated clothing should be removed. This is especially advisable when stripping old paint which may contain irritants or toxins such as Lead.

Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. Material Safety Data Sheet available for the professional user upon request.

Shelf Life & Storage

2 years when stored in unopened original, correctly labelled containers in cool, dry conditions between +5 and +30°C.

Size

1 Litre and 500ml.

Order Information

Code:	BDPS1	BDPS05
Size:	1L	500ml
Barcode:	5060021369017	5060021369000

The data presented in this leaflet are in accordance with the present state of our knowledge, but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this leaflet should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies raw materials are also being used. The recommendations do not absolve the user from the obligation of investigating the possibility of infringement of third parties rights and, if necessary clarifying the position.

Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the products for a particular purpose.



Certificate Number: 6152
ISO 9001; ISO 14001

BOND IT
Unit G16 River Bank Way, Lowfields Business Park, Elland,
West Yorkshire HX5 9DN.
Telephone: +44 (0)1422 315300 Fax +44 (0)1422 315310
Email: sales@bond-it.co.uk Website: www.bond-it.co.uk



V2 16/04/12