

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

BATH MATE CLP

Revision 1
Revision date 2015-05-20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product name	BATH MATE CLP
1.2. Relevant identified uses of the substance or mixture and uses advised against	
Description	Building chemical.
1.3. Details of the supplier of the safety data sheet	
Company	SEAL IT SERVICES LTD
Address	T/A BOND IT Unit G16 Riverbank Way, Lowfields Business Park, Elland, West Yorkshire HX5 9DN
Web	www.bond-it.co.uk
Telephone	01422 315300
Fax	01422 315310
Email	sales@bond-it.co.uk
1.4. Emergency telephone number	
Emergency telephone number	01422 315300 8.30AM - 5.30PM Mon-Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
2.1.1. Classification - 67/548/EEC	R52/53 Symbols:
Main hazards	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
2.1.2. Classification - EC 1272/2008	EUH208; Aquatic Chronic 3: H412;
2.2. Label elements	
Hazard Statement	EUH208 - Contains 2-methylisothiazol-3(2H)-one and 5-chloro-2-methyl-4-isothiazolin-3-one. May produce an allergic reaction. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P273 - Avoid release to the environment.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to meet National Legislation and Environmental Regulations
2.3. Other hazards	
Other hazards	No data is available on this product.

SECTION 3: Composition/information on ingredients

3.1. Substances

BATH MATE CLP

Revision 1

Revision date 2015-05-20

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
(ethylenedioxy)dimethanol		3586-55-8	222-720-6			Xn; R22 Xi; R38-41	
Mono ethylene glycol (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3			Xn; R22	
5-Chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] {3 parts of} and 2-Methyl-4-isothiazolin-3-one [EC No 220-239-6] {1 part of}, mixture of Ammonia Solution 90/10 10%	613-167-00-5	55965-84-9				T; R23/24/25 C; R34 R43 N; R50/53 C; R34 N; R50	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
(ethylenedioxy)dimethanol		3586-55-8	222-720-6				
Mono ethylene glycol (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3			Acute Tox. 4: H302;	
5-Chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] {3 parts of} and 2-Methyl-4-isothiazolin-3-one [EC No 220-239-6] {1 part of}, mixture of Ammonia Solution 90/10 10%	613-167-00-5	55965-84-9				Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to mucous membranes.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	-------------------------------------------------------------------------

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---------------------------------------------------------

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	-----------------------------------------------------

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area.
--	--------------------------------------------------

BATH MATE CLP

Revision 1

Revision date 2015-05-20

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

See section 13.Disposal Considerations for further information. See section 8.PPE for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

7.3. Specific end use(s)

Building chemical.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data is available on this product.

8.1.1. Exposure Limit Values

Mono ethylene glycol (Ethane-1,2-diol particulate)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total inhalable dust: -	WEL 15 min limit mg/m3 total inhalable dust: -
	WEL 8-hr limit mg/m3 total respirable dust: -	WEL 15 min limit mg/m3 total respirable dust: -
Mono ethylene glycol (Ethane-1,2-diol vapour)	WEL 8-hr limit ppm: 20	WEL 8-hr limit mg/m3: 52
	WEL 15 min limit ppm: 40	WEL 15 min limit mg/m3: 104
	WEL 8-hr limit mg/m3 total inhalable dust: -	WEL 15 min limit mg/m3 total inhalable dust: -
	WEL 8-hr limit mg/m3 total respirable dust: -	WEL 15 min limit mg/m3 total respirable dust: -

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear protective clothing.

Eye / face protection

In case of splashing, wear:.. Approved safety goggles.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

BATH MATE CLP

Revision 1

Revision date 2015-05-20

9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	Various
Odour	Characteristic
Odour threshold	No data available
pH	7.5 - 9.5
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Flammability (solid, gas)	No data available
Autoignition temperature	No data available
Vapour pressure	No data available
Relative density	1.6 - 1.66 (H ₂ O = 1 @ 20 °C)
Partition coefficient	No data available
Viscosity	No data available
Vapour density	No data available
Evaporation rate	No data available
Fat Solubility	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Gas group	No data available
Surface tension	No data available
VOC (Volatile organic compounds)	No data available
Benzene Content	No data available
Lead content	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data is available on this product.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data is available on this product.

10.4. Conditions to avoid

No data is available on this product.

10.5. Incompatible materials

No data is available on this product.

10.6. Hazardous decomposition products

No data is available on this product.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on this product.

11.1.4. Toxicological Information

BATH MATE CLP

Revision 1

Revision date 2015-05-20

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data is available on this product.

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient

BATH MATE CLP No data available

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in compliance with all local and national regulations.

Disposal of packaging

Do NOT reuse empty containers.

SECTION 14: Transport information

14.6. Special precautions for user

No data is available on this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data is available on this product.

ADR/RID

The product is not classified as dangerous for carriage.

IMDG

The product is not classified as dangerous for carriage.

IATA

The product is not classified as dangerous for carriage.

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010

BATH MATE CLP

Revision 1

Revision date 2015-05-20

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

	amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EEC and 2000/21/EC.
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Further information

	No Significant Hazard.
--	------------------------

SECTION 16: Other information**Other information**

Revision	This document differs from the previous version in the following areas: 2 - Precautionary Statement: Disposal.
Text of risk phrases in Section 3	R22 - Harmful if swallowed. R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed. R34 - Causes burns. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R50 - Very toxic to aquatic organisms.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 3: H331 - Toxic if inhaled. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------